



UNIVERSITY INSTITUTE OF ENGINEERING Bachelor of Engineering (Computer Science & Engineering) Operating System (CST-328)

Subject Coordinator: Er. Puneet kaur(E6913)

DISCOVER . LEARN . EMPOWER



System calls & Types of system calls

System Calls

- Programming interface to the services provided by the OS
- Typically written in a high-level language (C or C++)
- Mostly accessed by programs via a high-level Application Programming Interface (API) rather than direct system call use
- Three most common APIs are Win32 API for Windows, POSIX API for POSIX-based systems (including virtually all versions of UNIX, Linux, and Mac OS X), and Java API for the Java virtual machine (JVM)

Note that the system-call names used throughout this text are generic

System Call Implementation

- Typically, a number associated with each system call
 - System-call interface maintains a table indexed with this number
- The system call interface invokes the intended system call in OS kernel and returns status of the system call and any return values
- The caller need know nothing about how the system call is implemented
 - Just needs to obey API and understand what OS will do as a result call
 - Most details of OS interface hidden from programmer by API
 - Managed by run-time support library (set of functions built into libraries included with compiler)

Types of System Calls

• Process control

- create process, terminate process
- end, abort
- load, execute
- get process attributes, set process attributes
- wait for time
- wait event, signal event
- allocate and free memory
- Dump memory if error
- Debugger for determining bugs, single step execution
- Locks for managing access to shared data between processes

Types of System Calls

• File management

- create file, delete file
- open, close file
- read, write, reposition
- get and set file attributes

• Device management

- request device, release device
- read, write, reposition
- get device attributes, set device attributes
- logically attach or detach devices

• Protection

- Control access to resources
- Get and set permissions
- Allow and deny user access

Types of System Calls (Cont.)

• Information maintenance

- get time or date, set time or date
- get system data, set system data
- get and set process, file, or device attributes

• Communications

- create, delete communication connection
- send, receive messages if message passing model to host name or process name
 - From client to server
- Shared-memory model create and gain access to memory regions
- transfer status information
- attach and detach remote devices

Conclusion

This topic gives the learner a deep insight to system calls, system calls interface, system calls implementation and system calls types.

References

https://www.includehelp.com/c-programming-questions/

https://www.studytonight.com/operating-system/

https://computing.llnl.gov/tutorials/

https://www.tutorialspoint.com/operating_system/index.htm#:~:text=An%20operating%20system% 20(OS)%20is,software%20in%20a%20computer%20system.

https://www.javatpoint.com/os-tutorial

https://www.guru99.com/operating-system-tutorial.html https://www.geeksforgeeks.org/operating-systems/