



**NAME – RAJDEEP JAISWAL**

**DATE – 19 NOV 2021**

**BRANCH – BTECH CSE**

**SEC = 608 - A**

**UID -20BCS2761**

**Subject – DS Lab**

## **AIM –**

Design a simple calculator (called SwingCalculator).

Hints:

- Set the ContentPane to BorderLayout. Add a JTextField (tfDisplay) to the NORTH. Add a JPanel (panelButtons) to the CENTER. Set the JPanel to GridLayout of 4x4, and add the 16 buttons.
- Operator buttons "+", "-", "\*", "/", "%" and "=".

## **Code in Text form –**

```
package com.company;

import java.awt.BorderLayout;
import java.awt.Color;

import java.awt.Container;
import java.awt.FlowLayout;
import java.awt.Font;
import java.awt.GridLayout;
import java.awt.Window;
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;
import java.awt.event.KeyEvent;
import java.awt.event.WindowAdapter;
import java.awt.event.WindowEvent;
import javax.swing.JButton;
import javax.swing.JDialog;
import javax.swing.JFrame;
import javax.swing.JLabel;
import javax.swing.JMenu;
import javax.swing.JMenuBar;
import javax.swing.JMenuItem;
import javax.swing.JPanel;
import javax.swing.JTextArea;
import javax.swing.KeyStroke;

public class Calculator extends JFrame implements ActionListener {
```



```
// Variables
final int MAX_INPUT_LENGTH = 20;
final int INPUT_MODE = 0;
final int RESULT_MODE = 1;
final int ERROR_MODE = 2;
int displayMode;
boolean clearOnNextDigit, percent;
double lastNumber;
String lastOperator;
private JMenu jmenuFile, jmenuHelp;
private JMenuItem jMenuItemExit, jMenuItemAbout;
private JLabel jlbOutput;
private JButton jbnButtons[];
private JPanel jplMaster, jplBackSpace, jplControl;
/*
 *
 * Font(String name, int style, int size)
Creates a new Font from the specified name, style and point size.
*/
Font f12 = new Font("Times New Roman", 0, 12);
Font f121 = new Font("Times New Roman", 1, 12);
// Constructor
public Calculator() {
    /* Set Up the JMenuBar.
     * Have Provided All JMenu's with Mnemonics
     * Have Provided some JMenuItem components with Keyboard Accelerators
     */
    jmenuFile = new JMenu("File");
    jmenuFile.setFont(f121);
    jmenuFile.setMnemonic(KeyEvent.VK_F);
    jMenuItemExit = new JMenuItem("Exit");
    jMenuItemExit.setFont(f12);
    jMenuItemExit.setAccelerator(KeyStroke.getKeyStroke(KeyEvent.VK_X,
        ActionEvent.CTRL_MASK));
    jmenuFile.add(jMenuItemExit);
    jmenuHelp = new JMenu("Help");
    jmenuHelp.setFont(f121);
    jmenuHelp.setMnemonic(KeyEvent.VK_H);
    jMenuItemAbout = new JMenuItem("About Calculator");
    jMenuItemAbout.setFont(f12);
    jmenuHelp.add(jMenuItemAbout);
    JMenuBar mb = new JMenuBar();
    mb.add(jmenuFile);
    mb.add(jmenuHelp);
```



```
setJMenuBar(mb);
//Set frame layout manager
setBackground(Color.gray);
jplMaster = new JPanel();
jlbOutput = new JLabel("0");
jlbOutput.setHorizontalTextPosition(JLabel.RIGHT);
jlbOutput.setBackground(Color.WHITE);
jlbOutput.setOpaque(true);
// Add components to frame
getContentPane().add(jlbOutput, BorderLayout.NORTH);
jbnButtons = new JButton[23];
// GridLayout(int rows, int cols, int hgap, int vgap)
JPanel jplButtons = new JPanel(); // container for Jbuttons
// Create numeric Jbuttons
for (int i = 0; i <= 9; i++) {
    // set each JButton label to the value of index
    jbnButtons[i] = new JButton(String.valueOf(i));
}
// Create operator Jbuttons
jbnButtons[10] = new JButton("+/-");
jbnButtons[11] = new JButton(".");
jbnButtons[12] = new JButton("=");
jbnButtons[13] = new JButton("/");
jbnButtons[14] = new JButton("*");
jbnButtons[15] = new JButton("-");
jbnButtons[16] = new JButton("+");
jbnButtons[17] = new JButton("sqrt");
jbnButtons[18] = new JButton("1/x");
jbnButtons[19] = new JButton("%");
jplBackSpace = new JPanel();
jplBackSpace.setLayout(new GridLayout(1, 1, 2, 2));
jbnButtons[20] = new JButton("Backspace");
jplBackSpace.add(jbnButtons[20]);
jplControl = new JPanel();
jplControl.setLayout(new GridLayout(1, 2, 2, 2));
jbnButtons[21] = new JButton("CE");
jbnButtons[22] = new JButton("C");
jplControl.add(jbnButtons[21]);
jplControl.add(jbnButtons[22]);
//Setting all Numbered JButton's to Blue. The rest to Red
for (int i = 0; i < jbnButtons.length; i++) {
    jbnButtons[i].setFont(f12);
    if (i < 10)
        jbnButtons[i].setForeground(Color.blue);
    else
        jbnButtons[i].setForeground(Color.red);
}
// Set panel layout manager for a 4 by 5 grid
jplButtons.setLayout(new GridLayout(4, 5, 2, 2));
//Add buttons to keypad panel starting at top left
```



```
// First row
for (int i = 7; i <= 9; i++) {
    jplButtons.add(jbnButtons[i]);
}
// add button / and sqrt
jplButtons.add(jbnButtons[13]);
jplButtons.add(jbnButtons[17]);
// Second row
for (int i = 4; i <= 6; i++) {
    jplButtons.add(jbnButtons[i]);
}
// add button * and x^2
jplButtons.add(jbnButtons[14]);
jplButtons.add(jbnButtons[18]);
// Third row
for (int i = 1; i <= 3; i++) {
    jplButtons.add(jbnButtons[i]);
}
// adds button - and %
jplButtons.add(jbnButtons[15]);
jplButtons.add(jbnButtons[19]);
//Fourth Row
// add 0, +/-, ., +, and =
jplButtons.add(jbnButtons[0]);
jplButtons.add(jbnButtons[10]);
jplButtons.add(jbnButtons[11]);
jplButtons.add(jbnButtons[16]);
jplButtons.add(jbnButtons[12]);
jplMaster.setLayout(new BorderLayout());
jplMaster.add(jplBackSpace, BorderLayout.WEST);
jplMaster.add(jplControl, BorderLayout.EAST);
jplMaster.add(jplButtons, BorderLayout.SOUTH);
// Add components to frame
getContentPane().add(jplMaster, BorderLayout.SOUTH);
requestFocus();
//activate ActionListener
for (int i = 0; i < jbnButtons.length; i++) {
    jbnButtons[i].addActionListener(this);
}
jmenuItemAbout.addActionListener(this);
jmenuItemExit.addActionListener(this);
clearAll();
//add WindowListener for closing frame and ending program
addWindowListener(new WindowAdapter() {

    public void windowClosed(WindowEvent e) {
        System.exit(0);
    }
});
} //End of Contructor Calculator
```

```
// Perform action
public void actionPerformed(ActionEvent e) {

    double result = 0;

    if(e.getSource() == jmenuItemAbout) {

        JDIALOG dlgAbout = new CustomABOUTDialog(this,
            "About Java Swing Calculator", true);

        dlgAbout.setVisible(true);

    } else if(e.getSource() == jmenuItemExit) {

        System.exit(0);

    }

    // Search for the button pressed until end of array or key found

    for (int i=0; i< 1)
        setDisplayString("0");

    }

    break;

    case 21: // CE
clearExisting();

    break;

    case 22: // C

clearAll();
    break;
}

}

}

void setDisplayString(String s) {
jlbOutput.setText(s);
}
String getDisplayString() {
return jlbOutput.getText();
}
void addDigitToDisplay(int digit) {
if (clearOnNextDigit)
setDisplayString("");
String inputString = getDisplayString();
```



```
        if (inputString.indexOf("0") == 0) {
            inputString = inputString.substring(1);
        }
        if (!inputString.equals("0") || digit > 0)
&amp;&amp; inputString.length() < MAX_INPUT_LENGTH) {
            setDisplayString(inputString + digit);
        }
        displayMode = INPUT_MODE;
        clearOnNextDigit = false;
    }
    void addDecimalPoint() {
        displayMode = INPUT_MODE;
        if (clearOnNextDigit)
            setDisplayString(".");
        String inputString = getDisplayString();
        // If the input string already contains a decimal point,
don't
        // do anything to it.
        if (inputString.indexOf(".") < 0)
            setDisplayString(new String(inputString + "."));
    }
    void processSignChange() {
        if (displayMode == INPUT_MODE) {
            String input = getDisplayString();
            if (input.length() > 0 && !input.equals("0"))
{
                if (input.indexOf("-") == 0)
                    setDisplayString(input.substring(1));
                else
                    setDisplayString("-" + input);
            }
            } else if (displayMode == RESULT_MODE) {
                double numberInDisplay = getNumberInDisplay();
                if (numberInDisplay != 0)
                    displayResult(-numberInDisplay);
            }
        }
        void clearAll() {
            setDisplayString("0");
            lastOperator = "0";
            lastNumber = 0;
            displayMode = INPUT_MODE;
            clearOnNextDigit = true;
        }
        void clearExisting() {
            setDisplayString("0");
            clearOnNextDigit = true;
            displayMode = INPUT_MODE;
        }
        double getNumberInDisplay() {
```



```
String input = jlbOutput.getText();
return Double.parseDouble(input);
}
void processOperator(String op) {
if (displayMode != ERROR_MODE) {
double numberInDisplay = getNumberInDisplay();
if (!lastOperator.equals("0")) {
try {
double result = processLastOperator();
displayResult(result);
lastNumber = result;
} catch (DivideByZeroException e) {
}
} else {
lastNumber = numberInDisplay;
}
clearOnNextDigit = true;
lastOperator = op;
}
}
void processEquals() {
double result = 0;
if (displayMode != ERROR_MODE) {
try {
result = processLastOperator();
displayResult(result);
} catch (DivideByZeroException e) {
displayError("Cannot divide by zero!");
}
lastOperator = "0";
}
}
double processLastOperator() throws DivideByZeroException
{
double result = 0;
double numberInDisplay = getNumberInDisplay();
if (lastOperator.equals("/")) {
if (numberInDisplay == 0)
throw (new DivideByZeroException());
result = lastNumber / numberInDisplay;
}
if (lastOperator.equals("*"))
result = lastNumber * numberInDisplay;
if (lastOperator.equals("-"))
result = lastNumber - numberInDisplay;
if (lastOperator.equals("+"))
result = lastNumber + numberInDisplay;
return result;
}
void displayResult(double result) {
```



```
        setDisplayString(Double.toString(result));
        lastNumber = result;
        displayMode = RESULT_MODE;
        clearOnNextDigit = true;
    }
    void displayError(String errorMessage) {
        setDisplayString(errorMessage);
        lastNumber = 0;
        displayMode = ERROR_MODE;
        clearOnNextDigit = true;
    }
public static void main(String args[]) {
    Calculator calcii = new Calculator();
    Container contentPane = calcii.getContentPane();
    // contentPane.setLayout(new BorderLayout());
    calcii.setTitle("Java Swing Calculator");
    calcii.setSize(241, 217);
    calcii.pack();
    calcii.setLocation(400, 250);
    calcii.setVisible(true);
    calcii.setResizable(false);
}
} //End of Swing Calculator Class.

class DivideByZeroException extends Exception {

    public DivideByZeroException() {
        super();
    }
    public DivideByZeroException(String s) {
        super(s);
    }
}

class CustomABOUTDialog extends JDialog implements ActionListener {


    JButton jbnOk;
    CustomABOUTDialog(JFrame parent, String title, boolean modal) {
        super(parent, title, modal);
        setBackground(Color.black);
        JPanel p1 = new JPanel(new FlowLayout(FlowLayout.CENTER));
        StringBuffer text = new StringBuffer();
        text.append("Calculator Information\n\n");
        text.append("Developer: Hemanth\n");
        text.append("Version: 1.0");
        JTextArea jtAreaAbout = new JTextArea(5, 21);
        jtAreaAbout.setText(text.toString());
        jtAreaAbout.setFont(new Font("Times New Roman", 1, 13));
        jtAreaAbout.setEditable(false);
        p1.add(jtAreaAbout);
    }
}
```



```
p1.setBackground(Color.red);
getContentPane().add(p1, BorderLayout.CENTER);
JPanel p2 = new JPanel(new FlowLayout(FlowLayout.CENTER));
jbnOk = new JButton("OK");
jbnOk.addActionListener(this);
p2.add(jbnOk);
getContentPane().add(p2, BorderLayout.SOUTH);
setLocation(408, 270);
setResizable(false);
addWindowListener(new WindowAdapter() {

    public void windowClosing(WindowEvent e) {
        Window aboutDialog = e.getWindow();
        aboutDialog.dispose();
    }
});
pack();
}
public void actionPerformed(ActionEvent e) {
    if (e.getSource() == jbnOk) {
        this.dispose();
    }
}
}
```

## OUTPUT



**Java simple calculator**



**Evaluation Grid (To be created as per the SOP and Assessment guidelines by the faculty):**

Sr. No.	Parameters	Marks Obtained	Maximum Marks
1.			
2.			
3.			